Global School-based Student Health Survey

Namibia

2004 Fact Sheet



The **2004 Namibia GSHS** measured alcohol and other drug use; sexual behaviors that contribute to HIV infection, other STI, and unintended pregnancy; unintentional injuries and violence; hygiene; physical activity; tobacco use; mental health; and protective factors.

The 2004 Namibia GSHS was a school-based survey of students in grades 6, 7, 8, 9, and 10. A two-stage cluster sample design was used to produce data representative of all students in grades 6, 7, 8, 9, and 10 in Namibia. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate. The school response rate was 95%, the student response rate was 86%, and the overall response rate was 82%. A total of 6,367 students participated in the Namibia GSHS. Students self-reported their responses to each question on a computer scannable answer sheet. For comparison purposes, only students aged 13-15 years are included in the analyses for this fact sheet.

Results for students aged 13-15 years	Total	Boys	Girls		
Alcohol and Other Drug Use					
Percentage of students who had at least one drink containing alcohol on one or more days during the past 30 days	32.8 ± 3.2	35.0 ± 4.0	30.9 ± 3.3		
Percentage of students who drank so much alcohol that they were really drunk one or more times during their life	31.8 ± 2.4	35.4 ± 2.0	28.9 ± 3.0		
Percentage of students who had a hang-over, felt sick, got into trouble with their family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life	30.0 ± 2.6	32.2 ± 3.6	28.2 ± 2.3		
Percentage of students who used drugs one or more times during their life	28.8 ± 4.5	31.3 ± 5.5	26.6 ± 4.7		
Sexual Behaviors That Contribute to	HIV Infectio	n, Other STI	, and		
Unintended Pre	gnancy				
Percentage of students who have ever had sexual intercourse	26.2 ± 4.4	37.9 ± 6.4	18.8 ± 5.3		
Percentage of students who have had sexual intercourse with two or more people during their life	13.6 ± 2.1	20.4 ± 3.6	8.9 ± 2.0		
Among students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse	47.6 ± 10.2	51.5 ± 14.6	41.9 ± 15.3		
Unintentional Injuries	s and Violen	ce			
Percentage of students who were in a physical fight one or more times during the past 12 months	50.3 ± 2.8	57.7 ± 2.6	44.5 ± 4.1		
Percentage of students who were seriously injured one or more times during the past 12 months	60.2 ± 4.3	66.6 ± 4.0	54.9 ± 5.3		
Percentage of students who were bullied on one or more days during the past 30 days	51.8 ± 3.6	56.5 ± 3.5	47.8 ± 4.5		
Hygiene	:				
Percentage of students who never or rarely washed their hands before eating during the past 30 days	6.8 ± 1.1	7.1 ± 2.0	6.2 ± 1.3		

2004

Global School-based Student Health Survey

Namibia

2004 Fact Sheet



Results for students aged 13-15 years	Total	Boys	Girls		
Physical Activity					
Percentage of students who were physically active for a total of at least 60 minutes per day on all 7 days during the past 7 days	9.9 ± 2.0	10.2 ± 2.1	9.7 ± 2.2		
Percentage of students who spent three or more hours per day during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities	31.0 ± 2.0	29.6 ± 2.9	31.8 ± 2.6		
Tobacco U	se				
Percentage of students who smoked cigarettes on one or more days during the past 30 days	16.1 ± 2.6	18.2 ± 3.5	14.2 ± 2.9		
Percentage of students who used any other form of tobacco on one or more days during the past 30 days	31.8 ± 4.5	33.5 ± 5.6	30.1 ± 4.9		
Percentage of students who reported people smoking in their presence on one or more days during the past 7 days	60.3 ± 3.2	60.4 ± 3.3	60.0 ± 4.1		
Mental Hea	ilth				
Percentage of students who felt lonely most of the time or always during the past 12 months	11.3 ± 0.9	9.7 ± 1.7	12.7 ± 1.3		
Percentage of students who have no close friends	15.7 ± 1.9	15.6 ± 1.9	15.8 ± 2.5		
Protective Fa	ctors				
Percentage of students who missed classes or school without permission on one or more days during the past 30 days	40.1 ± 3.2	41.6 ± 4.1	38.7 ± 3.6		
Percentage of students who reported that most of the students in their school were never or rarely kind and helpful during the past 30 days	42.5 ± 2.4	46.3 ± 2.2	39.8 ± 3.7		
Percentage of students whose parents or guardians never or rarely really knew what they were doing with their free time during the past 30 days	44.3 ± 2.3	46.7 ± 3.2	42.4 ± 2.9		

For additional information, please contact:

Dr. Kornelia K. Abraham, School and Adolescent Health Program Manager Ministry of Health and Social Services, Windhoek, Namibia, sahp@mhss.gov.na

2004 2